

LOW - VOLTAGE PENDANTS

Eros Low-Voltage Pendant



DESCRIPTION

A precision die cast aluminum body serves a dual role as a geometrically appealing design detail and the heat sink for this powerful LED light source. The Eros pendant light from Tech Lighting features a high quality pressed glass optic that effectively distributes light output for excellent task lighting on the surface below while eliminating horizontal glare. Includes 10 watt, 210 net lumen, 3000K or Warm Color Dimming 3000K-2200K LED module. Dimmable with low-voltage electronic dimmer. Fixture provided with six feet of field-cutable cloth cord.

INSTALLATION

Socket terminates with FreeJack male connector, which may be installed into a system connector. Elements ordered with a system prefix include a connector for that system. For use on T~TRAK, order FreeJack version and T~TRAK FreeJack Connector (sold separately).

ACCESSORIES & OPTICAL CONTROLS

Swag Hook

WEIGHT

0.87lb / 0.39kg ±



black



black

ORDERING INFORMATION

700	SYSTEM	ERS	COLOR	FINISH	LAMP
FJ	FREEJACK		B BLACK	C CHROME	-LED830 12 VOLT LED 80 CRI 3000K
MP	MONOPOINT			S SATIN NICKEL	
MO	MONORAIL				
MO2	TWO-CIRCUIT MONORAIL				

Note: Note: MP includes 4" Round Flush Canopy.

Chrome not offered on Monorail & Two~Circuit Monorail.



TECH LIGHTING®

7400 Linder Avenue
Skokie, Illinois 60077

T 847.410.4400
F 847.410.4500

Tech Lighting, L.L.C.

700 ____ ERS _____

FIXTURE TYPE: _____

JOB NAME: _____

NOTES: _____



©2017 Tech Lighting, L.L.C. All Rights Reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.