

LOW - VOLTAGE PENDANTS

Eros Low-Voltage Pendant



DESCRIPTION

A precision die cast aluminum body serves a dual role as a geometrically appealing design detail and the heat sink for this powerful LED light source. The Eros pendant light from Tech Lighting features a high quality pressed glass optic that effectively distributes light output for excellent task lighting on the surface below while eliminating horizontal glare. Includes 9 watt, 700 net lumen, 3000K or Warm Color Dimming 3000K-2200K LED module. Dimmable with low-voltage electronic dimmer. Fixture provided with six feet of field-cuttable cloth cord.

INSTALLATION

Socket terminates with FreeJack male connector, which may be installed into a system connector. Elements ordered with a system prefix include a connector for that system. For use on T~TRAK, order FreeJack version and T~TRAK FreeJack Connector (sold separately).

ACCESSORIES & OPTICAL CONTROLS

Swag Hook

WEIGHT

0.87lb / 0.39kg ±



black



black



ORDERING INFORMATION

700 SYSTEM	ERS	COLOR	FINISH	LAMP	
FJ	FREEJACK	B	BLACK	C CHROME	-LED830 12 VOLT LED 80 CRI 3000K
MP	MONOPOINT			S SATIN NICKEL	
MO	MONORAIL				
MO2	TWO-CIRCUIT MONORAIL				

Note: Note: MP includes 4" Round Flush Canopy.

When installing LED option on MO2 only magnetic transformers may be used.

Chrome not offered on Monorail & Two~Circuit Monorail.



TECH LIGHTING®
 7400 Linder Avenue T 847.410.4400
 Skokie, Illinois 60077 F 847.410.4500

Tech Lighting, L.L.C.

700 ____ ERS _____

FIXTURE TYPE: _____

JOB NAME: _____

NOTES: _____
