

PLURA 39 CEILING



PRODUCT FEATURES

- Contemporary design with detailed circular metal discs
- Generous reflector creates a celestial glowing effect
- Fully dimmable integrated LED lamp
- Available in two on-trend finishes, Matte Black and Matte White
- Three length options including 18", 24" and 36"
- 5 year warranty with no lamping option. 5 year warranty with LED lamping option, visit techlighting.com for more warranty details



LAMPING

Includes 48 watt, 2708 delivered lumen, 3000K LED module. Dimmable with low-voltage electronic or triac dimmer.

39"



39"

ORDERING INFORMATION

700FMPLR	LENGTH (A)	FINISH	LAMP
	39 39"	W WHITE	-LED930 LED 90 CRI 3000K 120V -LED930-277 LED 90 CRI 3000K 277V

700FMPLR _____

JOB NAME _____

NOTES _____




PLURA 39 CEILING



SPECIFICATIONS

HARDWARE MATERIAL	Metal
SHADE MATERIAL	Metal
NET WEIGHT	20 lbs
HEIGHT	8.4in
WIDTH	39in
LENGTH	39in
UP LIGHT / DOWN LIGHT / BOTH?	
WET LISTED	
DAMP LISTED	
DRY LISTED	
WALL / CEILING MOUNT	
SLOPED CEILING ADAPTABLE?	No
GENERAL LISTING	ETL Listed
INCLUDES	



LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		2708		
WATTS		12		
MAX WATTAGE PER BULB		48W		
INPUT VOLTAGE		120V 277V		
DIMMING TYPE*		Triac		
CCT		3000K		
CRI		90 CRI		
LED LIFETIME				
L70				
AVERAGE BULB HOURS		30000		
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		Y		
WARRANTY**		5 Years		

* Dimming information available at www.techlighting.com/Downloads#dimming

** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6.			
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.			

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.

