

PRODUCT FEATURES

- Clean contemporary design style
- Bi-directional light distribution
- Available in three contemporary finishes
- Can be mounted horizontally or vertically
- Ideal for residential and commercial lighting applications
- Protected by a 5-year warranty



LAMPING

Includes (1) 18 watt 883.3 delivered lumen 90 CRI 3000K LED module.
 ADA compliant. 120v or 277v.

Satin Nickel



Rubberized White

Satin Nickel

ORDERING INFORMATION

700WSKEN FINISH

- W RUBBERIZED WHITE
- S SATIN NICKEL

LAMP

- LED930 INTEGRATED LED 90 CRI 3000K 120V
- LED930-277 INTEGRATED LED 90 CRI 3000K 277V

700WSKEN _____


JOB NAME _____

NOTES _____



SPECIFICATIONS

HARDWARE MATERIAL	
SHADE MATERIAL	
NET WEIGHT	2.5 lbs
HEIGHT	5in
WIDTH	3.8in
LENGTH	6in
MIN. EXTENSION FROM WALL	3.8in
UP LIGHT / DOWN LIGHT / BOTH?	
WET LISTED	
DAMP LISTED	Yes
DRY LISTED	
UP / DOWN	
HORIZONTAL / VERTICAL	
WALL / CEILING MOUNT	
GENERAL LISTING	ETL Listed
ADA COMPLIANT	
INCLUDES	



LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		883.3		
WATTS		18		
MAX WATTAGE PER BULB		18W		
INPUT VOLTAGE		120V 277V		
DIMMING TYPE*		ELV, TRIAC 0-10V		
CCT		3000K		
CRI		90 CRI		
LED LIFETIME				
L70		>50000		
AVERAGE BULB HOURS				
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		True		
WARRANTY**		5 Years		

* Dimming information available at www.techlighting.com/Downloads#dimming

** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6.	No		
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.	N/A		

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.

