

PRODUCT FEATURES

- Simple yet sophisticated design style
- Can be used for task and ambient lighting
- Available in modern finishes
- Fully-dimmable to create the desired ambiance in any bathroom
- ADA compliant
- Protected by a 1-year warranty



LAMPING

Includes 24 watt, 1252 delivered lumens. Dimmable with most LED compatible ELV, TRIAC and 0-10V dimmers. May be mounted horizontally and vertically. ADA compliant. 120V-277V.

24" Bronze



24" Bronze

24" Satin Nickel

ORDERING INFORMATION

700BCFINN LENGTH (A)	FINISH	LAMP
24 24"	Z ANTIQUE BRONZE	-LED930 INTEGRATED LED 90 CRI 3000K 120V-277V UNV
	S SATIN NICKEL	-LED935 INTEGRATED LED 90 CRI 3500K 120V-277V UNV

700BCFINN _____

JOB NAME _____


NOTES _____



FINN 24 BATH

SPECIFICATIONS

PRIMARY MATERIAL	Aluminum
SHADE MATERIAL	Acrylic
NET WEIGHT	1.5 lbs
HEIGHT	4.3in
WIDTH	2.3in
LENGTH	25in
WET LISTED	
DAMP LISTED	Yes
DRY LISTED	
GENERAL LISTING	ETL Listed
INCLUDES	



LAMPING SPECIFICATIONS

	LED LAMP	INTEGRATED LED	NON LED	NO LAMP
DELIVERED LUMENS		1252		
WATTS		24		
MAX WATTAGE PER BULB		24W		
INPUT VOLTAGE/ DIMMING TYPE		Universal 120V-277V 0-10, ELV, TRIAC		
CCT		3000K 3500K		
CRI		90 CRI		
LED LIFETIME				
L70		>50000		
AVERAGE BULB HOURS				
FIELD SERVICEABLE LED				
LAMP BASE		Integrated LED		
LAMP SHAPE		Integrated LED		
LAMP INCLUDED?		True		
WARRANTY**		5 Years		

*Dimming information available at www.techlighting.com/Downloads#dimming

** Visit techlighting.com for specific warranty limitations and details.

T20 / T24 / JA8 INFORMATION

	Integrated LED	Replacement LED Lamp	No Lamp *
This product can be used to comply with California Building Energy Efficiency Standards 2016 Title 24 Part 6 / JA8.	Yes		
This product can be used to comply with California Appliance Efficiency Standards 2016 Title 20 and may be shipped to and sold in California.	N/A		

* If a light fixture or component does not include a lamp or light source, it is the responsibility of the customer to select a lamp that meets the T24 and T20 requirements.

