



847.410.4400
Quotes Dept. Fax:
847.410.4720
www.encompasslighting.com

Date
Rep
Job name/location
Submitter's name
Company
Phone Fax

SYSTEM

- Tech Lighting MonoRail (p. 234)
Tech Lighting Two-Circuit MonoRail (p. 254)
Tech Lighting Wall MonoRail (p. 270)
Tech Lighting Kable Lite (p. 284)
T~trak™ (p. 6)

Note: pages numbers refer to their respective catalogs

ELEMENTS

Elements to be used (specify):

Table with columns: Name/Length, Quantity, Color/Finish, Accessory/Finish/Color, Lamp/Watts. Rows include 1st Type, 2nd Type, 3rd Type, 4th Type, Total No. of Elements, Total Wattage.

FINISH

- Antique Bronze, Chrome, Satin Nickel, White T~trak only
Custom finish or colored insulator (specify)

DRAWING

Attach scaled drawing or provide on reverse side.

- Plan view, Elevation, Scale: 1/8" = 1', 1/2" = 1', 1/4" = 1', Not to scale

LENGTH

Length of run:
If custom curve, supply degree and radius:

TRANSFORMER

(low-voltage systems only)
(p. 270)

- Remote: Magnetic OR Electronic, 12V, 24V, Output Wattage:
Canopy/Power Feed type: 4" Round, 2" Square, Rectangular, Direct End, Other
Surface: Magnetic OR Electronic, 12V, 24V, Output Wattage:

If using existing junction boxes, show location on drawing.

MOUNTING

If ceiling mounted, how far below the ceiling will the system be dropped? (circle)

Table with columns for system types and drop distances: Tech Lighting MonoRail, Tech Lighting Two-Circuit MonoRail, Tech Lighting Kable Lite, T~trak, Is the ceiling vaulted?

SPECIAL

- Cantilever, Other (specify)



